



Recoil

HOSE AND CORD REELS

ACCESSORIES & SPARES



30'



HOSE REELS.

Our total, dedicated business.

We've been making hose reels for decades - over 38 years in fact - and this manufacturing wisdom, coupled with competitive pricing, knowledgeable staff, a wealth of technical information and solid after-sales service positions us firmly at the forefront of our industry.

Our head office and factory is based in Sydney Australia, with a well-stocked distribution centre in Auckland NZ, as well as reputable distribution partners across the globe.

ReCoila has a fully equipped production facility and a team of experts to ensure our reels are designed and manufactured to exacting standards.

With a comprehensive range of hose, cord and cable reels and a dedicated custom design and manufacturing team, ReCoila can supply the right reel for your individual application - with safety and productivity in mind.

AUSTRALIAN MANUFACTURING. INTERNATIONAL DISTRIBUTION.

ReCoila is a proudly Australian company based in Western Sydney, with distribution reach across Australia, New Zealand and internationally.

We have resellers strategically based in key metro and regional areas to ensure delivery to customers is as swift as possible, and long standing relationships with our freight carriers mean that logistics are coordinated efficiently.

AUSTRALIAN MADE + QUALITY IMPORTS = COMPREHENSIVE RANGE.

Our range constitutes a wealth of engineered polypropylene and heavy duty steel and stainless steel reels, supplemented with hand-picked reels from some of the world's best manufacturers, to present a truly comprehensive product portfolio. And, our ability to design and manufacture customised reels in-house means that we're sure to have a reel to suit your needs.

VISIT
RECOILA
ONLINE



SPECIALISTS IN CUSTOM REELS

38+ years manufacturing wisdom

ReCoila is committed to continued quality and engineering excellence, coupled with real-world practicality and constant improvement based on feedback from customers.

Our goal has always been to design the best reels in the world - and we think we're pretty close to the mark.

With teams of specialists for both steel and polypropylene production, we continue to lead the way in design, innovation, functionality & reliability.

WE KNOW REELS – YOU KNOW YOUR BUSINESS.

Whilst we've been building reels for over thirty years, we continue to learn and adapt to individual industry challenges in consultation with our customers.

We have worked with Australian and New Zealand fire brigades, Australian Defence forces, major international mining and resources projects, salmon farms, airports, oil rigs, gas exploration companies, plumbers, truck builders, food manufacturers, wineries, auto workshops, universities and electricity providers, and have built reels to transfer everything from clean air to cow dung.

Our collaborative approach has always resulted in a hose reel that is of the highest quality, whilst being simple, practical and effective for the people in the field who are actually operating it.

THE MAKING OF A CUSTOM HOSE REEL



ACCESSORIES & SPARES

HOSE BUMPERS (HOSE STOPS)

STEEL BOLTS		
Code	Suits hose OD	Style
1-HR1004-A	11mm - 16mm OD	Donut
1-HR1004	16mm - 19mm OD	Donut
1-HR1004-3	16mm - 19mm OD	Donut
2-HR1004-3	19mm - 27mm OD	Donut
3-HR1004-3	27mm - 33mm OD	Donut
2-HR1005	19mm - 27mm OD	Ball
3-HR1005	27mm - 35mm OD	Ball
4-HR1005	35mm - 39mm OD	Ball
600547-1	39mm - 44mm OD	Donut
600547-2	44mm - 52mm OD	Donut
8-HR1004-3	13mm OD (twin)	Donut
600521	17mm OD (twin)	Donut
600522	21mm OD (twin)	Donut

STAINLESS STEEL BOLTS		
Code	Suits hose OD	Style
1-HS1004	16mm - 19mm OD	Donut
1-HS1004-3	16mm - 19mm OD	Donut
2-HS1004-3	19mm - 27mm OD	Donut
3-HS1004-3	27mm - 33mm OD	Donut
2-HS1005	19mm - 27mm OD	Ball
3-HS1005	27mm - 35mm OD	Ball
4-HS1005	35mm - 39mm OD	Ball



MOUTHGUARD - GEN III

GEN III REPLACEMENT MOUTHGUARD	
Code	Construction
SG0408	Polypropylene

SG0408 Mouthguard

QUICK DISCONNECT BRACKET - GEN III

GEN III QUICK DISCONNECT BRACKET	
Code	Construction
SGDMOUNT	Steel



FIXED BRACKETS - GEN III

GEN III FIXED BRACKET	
Code	Construction
T0118-SS	Stainless Steel
T0118-AL	Aluminium
T0118-MS	Mild Steel



SWIVEL BRACKET - GEN III

GEN III SWIVEL BRACKET	
Code	Construction
SG0023A	Polypropylene (pair)



= Quick Ship Item, see inside back cover for more information.

WALL MOUNTED SWIVEL BRACKETS

STEEL SWIVEL BRACKETS				
Carbon steel	304 Stainless steel	316 Stainless steel	Suits reel/s	
600626	N/A	N/A	4000, 5000 5005 and 7000 series	
600980	N/A	N/A	80000, D80000, FD80000 series	
079.1777.150	079.1778.150	N/A	S and SS 400, 460 and 500 series	
079.1777.200	079.1778.200	N/A	S and SS 550 series	
079.1777.250	079.1778.250	N/A	S and SS 555 series	
SWBC150	SWBC150SS4	SWBC150SS6	C series 150mm spool	
SWBC300	SWBC300SS4	SWBC300SS6	C series 300mm spool	
SWBC450	SWBC450SS4	SWBC450SS6	C series 450mm spool	
SWBC600	SWBC600SS4	SWBC600SS6	C series 600mm spool	
SWBCH150	SWBCHSS4	SWBCHSS6	CH series 350mm spool	

Available on request - stainless steel wall mount pivot brackets for: 4000, 5000, 5005, 7000, 80000, D80000.



600626 / 600980



079.1777.150



079.1777.200






079.1777.250

SGCROLLERGUIDE600

ROLLER GUIDES - C & CH SERIES



TOP WIND 4-WAY ROLLER GUIDES - C & CH SERIES

Carbon steel	304 Stainless steel	316 Stainless steel	Aluminium	Suits C Series reel/s with spool width
 SGCROLLERGUIDE150	SGCROLLERGUIDE150SS4	SGCROLLERGUIDE150SS6	SGCROLLERGUIDE150AL	150mm
 SGCROLLERGUIDE300	SGCROLLERGUIDE300SS4	SGCROLLERGUIDE300SS6	SGCROLLERGUIDE300AL	300mm
 SGCROLLERGUIDE450	SGCROLLERGUIDE450SS4	SGCROLLERGUIDE450SS6	SGCROLLERGUIDE450AL	450mm
 SGCROLLERGUIDE600	SGCROLLERGUIDE600SS4	SGCROLLERGUIDE600SS6	SGCROLLERGUIDE600AL	600mm
 SGCHRG350	SGCHRG350SS4	SGCHRGSS6	SGCHRGAL	350mm (CH)

OVERHEAD VERTICAL WIND 4-WAY ROLLER GUIDES - C & CH SERIES

Carbon steel	304 Stainless steel	316 Stainless steel	Aluminium	Suits C Series reel/s with spool width
 SGCHVRG150	SGCHVRG150SS4	SGCHVRG150SS6	SGCHVRG150AL	150mm
 SGCHVRG300	SGCHVRG300SS4	SGCHVRG300SS6	SGCHVRG300AL	300mm
 SGCHVRG450	SGCHVRG450SS4	SGCHVRG450SS6	SGCHVRG450AL	450mm
 SGCHVRG600	SGCHVRG600SS4	SGCHVRG600SS6	SGCHVRG600AL	600mm
 SGCHVRG350	SGCHVRG350SS4	SGCHVRG350SS6	SGCHVRG350AL	350mm

 = Quick Ship Item, see inside back cover for more information.

ROLLER GUIDES - C & CH SERIES (CONTINUED)

OVERHEAD VERTICAL SWINGING 4-WAY ROLLER GUIDES - C & CH SERIES

Carbon steel	304 Stainless steel	316 Stainless steel	Aluminium	Suits C Series reel/s with spool width
 SGCHSRG350	SGCHSRG350SS4	SGCHSRG350SS6	SGCHSRG350AL	350mm

GEAR GUARDS - C & CH SERIES

SGCGUARD





GEAR GUARDS - C & CH SERIES

Carbon steel	304 Stainless steel	316 Stainless steel	Aluminium	Suits Reels
 SGCGUARD	SGCGUARDSS4	SGCGUARDSS6	SGCGUARDAL	C Series RH motors
 SGCGUARDLH	SGCGUARDLHSS4	SGCGUARDLHSS6	SGCGUARDLHAL	C Series LH motors
 SGCHGUARD	SGCHGUARDSS4	SGCHGUARDSS6	SGCHGUARDAL	CH Series RH motors
 SGCHGUARDLH	SGCHGUARDLHSS4	SGCHGUARDLHSS6	SGCHGUARDLHAL	CH Series LH motors

PIN LOCKS - C, CH & T SERIES

PIN LOCKS - C, CH & T SERIES

Carbon steel	304 Stainless steel	316 Stainless steel	Suits Reels
 SGCP	SGCPLSS4	SGCPLSS6	C Series
 SGCHPL	SGCHPLSS4	SGCHPLSS6	CH and T Series

SGCPL



FRICTION BRAKES - C, CH & T SERIES

FRICTION BRAKES - C, CH & T SERIES

Part Number	Construction	Suits Reels
 SGFB	Nylon	C, CH & T Series



SGFB

ROLLER BRACKETS

ROLLER BRACKETS


Code	Size
 HR1057	16 - 23mm
 HR1059	6.4 - 15.9mm
 HR1145	16 - 23mm
S270109	23 - 50.8mm
600168	23 - 34.9mm



HR1059



HR1145



600168

 = Quick Ship Item, see inside back cover for more information.

SWIVELS

INLINE SWIVELS

FEMALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
1000	SS 4 FP 25 X FP 25	1/4-18 N.P.T. 1/4-18 N.P.T.	5000
1010	SS 8 FP 38 X FP 38	3/8-18 N.P.T. 3/8-18 N.P.T.	5000
1020	SS 8 FP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	5000
1030	SS 12 FP 75 X FP 75	3/4-14 N.P.T. 3/4-14 N.P.T.	4500
1040	SS 16 FP 100 X FP 100	1-111/2 N.P.T. 1-111/2 N.P.T.	4000
1050	SS 20 FP 125 X FP 125	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	4000
1063	SS 24 FP 150 X FP 150	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	4000
1073	SS 32 FP 200 X FP 200	2-111/2 N.P.T. 2-111/2 N.P.T.	3000
1083	SS 40 FP 250 X FP 250	21/2-8 N.P.T. 21/2-8 N.P.T.	2500



1020

MALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
1200	SS 4 MP 25 X FP 25	1/4-18 N.P.T. 1/4-18 N.P.T.	5000
1210	SS 8 MP 38 X FP 38	3/8-18 N.P.T. 3/8-18 N.P.T.	5000
1220	SS 8 MP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	5000
1230	SS 12 MP 75 X FP 75	3/4-14 N.P.T. 3/4-14 N.P.T.	4500
1240	SS 16 MP 100 X FP 100	1-111/2 N.P.T. 1-111/2 N.P.T.	4000
1250	SS 20 MP 125 X FP 125	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	4000
1263	SS 24 MP 150 X FP 150	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	4000
1273	SS 32 MP 200 X FP 200	2-111/2 N.P.T. 2-111/2 N.P.T.	3000



1230

INLINE SWIVELS - 304 STAINLESS STEEL

FEMALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
11035	SS 4 FP 25 X FP 25-304	1/4-18 N.P.T. 1/4-18 N.P.T.	3000
13035	SS 8 DB FP 38 X 38-304	3/8-18 N.P.T. 3/8-18 N.P.T.	3000
14111	SS 8 DB FP 50 X FP 50-304	1/2-14 N.P.T. 1/2-14 N.P.T.	3000
15099	SS 12 DB FP 75 X FP 75-304	3/4-14 N.P.T. 3/4-14 N.P.T.	2250
16096	SS 16 DB FP 100 X FP 100-304	1-111/2 N.P.T. 1-111/2 N.P.T.	2000
17020	SS 20 FP 125 X FP 125-304	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	2000
18028	SS 24 FP 150 X FP 150-304	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	1500
19005	SS 32 FP 200 X FP 200-304	2-111/2 N.P.T. 2-111/2 N.P.T.	1000



14111

INLINE SWIVELS - 304 STAINLESS STEEL

MALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
11037	SS 4 MP 25 X FP 25-304	1/4-18 N.P.T. 1/4-18 N.P.T.	3000
13037	SS 8 MP 38 X FP 38-304	3/8-18 N.P.T. 3/8-18 N.P.T.	3000
14113	SS 8 DB MP 50 X FP 50-304	1/2-14 N.P.T. 1/2-14 N.P.T.	3000
15101	SS 12 DB MP 75 X FP 75-304	3/4-14 N.P.T. 3/4-14 N.P.T.	2250
16098	SS 16 DB MP 100 X FP 100-304	1-111/2 N.P.T. 1-111/2 N.P.T.	2000
17022	SS 20 MP 125 X FP 125-304	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	2000
18030	SS 24 MP 150 X FP 150-304	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	1500
19007	SS 32 MP 200 X FP 200-304	2-111/2 N.P.T. 2-111/2 N.P.T.	1000



2123

HIGH PRESSURE INLINE SWIVELS

FEMALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
2123	SS 8 HP FP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	10000

MALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
2124	SS 8 HP MP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	10000



2124

90° SWIVELS

FEMALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
5000	9 SS 4 FP 25 X FP 25	1/4-18 N.P.T. 1/4-18 N.P.T.	5000
5010	9 SS 8 FP 38 X FP 38	3/8-18 N.P.T. 3/8-18 N.P.T.	5000
5020	9 SS 8 FP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	5000
5030	9 SS 12 FP 75 X FP 75	3/4-14 N.P.T. 3/4-14 N.P.T.	4500
5040	9 SS 16 FP 100 X FP 100	1-111/2 N.P.T. 1-111/2 N.P.T.	4000
5050	9 SS 20 FP 125 X FP 125	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	4000
5063	9 SS 24 FP 150 X FP 150	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	4000
5073	9 SS 32 FP 200 X FP 200	2-111/2 N.P.T. 2-111/2 N.P.T.	3000

MALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
5100	9 SS 4 MP 25 X FP 25	1/4-18 N.P.T. 1/4-18 N.P.T.	5000
5110	9 SS 8 MP 38 X FP 38	3/8-18 N.P.T. 3/8-18 N.P.T.	5000
5120	9 SS 8 MP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	5000
5130	9 SS 12 MP 75 X FP 75	3/4-14 N.P.T. 3/4-14 N.P.T.	4500
5140	9 SS 16 MP 100 X FP 100	1-111/2 N.P.T. 1-111/2 N.P.T.	4000
5150	9 SS 20 MP 125 X FP 125	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	4000
5163	9 SS 24 MP 150 X FP 150	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	4000
5173	9 SS 32 MP 200 X FP 200	2-111/2 N.P.T. 2-111/2 N.P.T.	3000



5030



5130

= Quick Ship Item, see inside back cover for more information.

90° SWIVELS - 304 STAINLESS STEEL

FEMALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
21099	9 SS 4 FP 25 X FP 25-304	1/4-18 N.P.T. 1/4-18 N.P.T.	3000
22061	9 SS 8 DB FP 38 X FP 38-304	3/8-18 N.P.T. 3/8-18 N.P.T.	3000
23095	9 SS 8 DB FP 50 X FP 50-304	1/2-14 N.P.T. 1/2-14 N.P.T.	3000
24120	9 SS 12 DB FP 75 X FP 75-304	3/4-14 N.P.T. 3/4-14 N.P.T.	2250
25143	9 SS 16 DB FP 100 X FP 100-304	1-111/2 N.P.T. 1-111/2 N.P.T.	2000
26018	9 SS 20 FP 125 X FP 125-304	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	2000
27028	9 SS 24 FP 150 X FP 150-304	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	1500
28019	SS 32 FP 200 X FP 200-304	2-111/2 N.P.T. 2-111/2 N.P.T.	1000
MALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
21101	9 SS 4 MP 25 X FP 25-304	1/4-18 N.P.T. 1/4-18 N.P.T.	3000
22063	9 SS 8 DB MP 38 X FP 38-304	3/8-18 N.P.T. 3/8-18 N.P.T.	3000
23079	9 SS 8 DB MP 50 X FP 50-304	1/2-14 N.P.T. 1/2-14 N.P.T.	3000
24122	9 SS 12 DB MP 75 X FP 75-304	3/4-14 N.P.T. 3/4-14 N.P.T.	2250
25145	9 SS 16 DB MP 100 X FP 100-304	1-111/2 N.P.T. 1-111/2 N.P.T.	2000
26020	9 SS 20 MP 125 X FP 125-304	11/4-111/2 N.P.T. 11/4-111/2 N.P.T.	2000
27030	9 SS 24 MP 150 X FP 150-304	11/2-111/2 N.P.T. 11/2-111/2 N.P.T.	1500
28021	SS 32 MP 200 X FP 200-304	2-111/2 N.P.T. 2-111/2 N.P.T.	1000



HIGH PRESSURE 90° SWIVELS

FEMALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
5923	9 SS 8 HP FP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	10000
MALE PIPE (NPT) X FEMALE PIPE (NPT)			
Part No.	Specification Code	Description	PSI
6024	9 SS 8 HP MP 50 X FP 50	1/2-14 N.P.T. 1/2-14 N.P.T.	10000

PROPANE SWIVELS

Part No.	Description
SMAC-3490LN	3/4" x 3/4" Female NTP
SMAC-190LN	1" x 1" Female NTP
SMAC-114LN	1 1/4" x 1 1/4" Female NTP
SMAC-112LN	1 1/2" x 1 1/2" Female NTP
SMAC-200LN	2" x 2" Female NTP




CRYOGENIC SWIVELS

Part No.	Description
TMSC0212FF	1/2" Female x 1/2" Female 90°
TMSC0219FF	3/4" Female x 3/4" Female 90°



= Quick Ship Item, see inside back cover for more information.

UHP SWIVELS







MALE X FEMALE					
Part No.	Max PSI	Rotation speed	Max flow capacity	Inlet port	Shaft connection
 SGP8P8	15,000	600rpm	190 lpm	1/2" NPT	1/2" NPT
SGP12P12M	15,000	600rpm	420 lpm	3/4" NPT	3/4" NPT
SGM12AV12	20,000	600rpm	190 lpm	3/4" MP	3/4" MP
SGM16M16	20,000	600rpm	420 lpm	1" MP	1" MP
SGCCNP12K	15,000	2000rpm	190 lpm	3/4" NPT	K
SGCCNM12K	20,000	2000rpm	190 lpm	3/4" MP	K
SLP8P4	15,000	1000rpm	130 lpm	1/2" NPT 0° or 90°	1/4" NPT
SLM9M9AV9	20,000	800rpm	95 lpm	9/16" MP 0° or 90°	9/16" MP
SLH9H9	40,000	2000rpm	46 lpm	9/16" HP	9/16" HP




SGP8P8

MOTOR DRIVES

ELECTRIC DRIVES



Part No.	Description	To suit models		
		C	CH	T*
 P56AN246	12VDC non explosion proof 500rpm 5/8" shaft 1/3Hp	Y	-	-
 P56AN344	24VDC non explosion proof 500rpm 5/8" shaft 1/3 Hp	Y	-	-
 P56SX243	12VDC explosion proof 500rpm 5/8" shaft 2/3 Hp	Y	Y	Y
 P56SX244	24VDC explosion proof 500rpm 5/8" shaft 2/3 Hp	Y	Y	Y
 P56SX209	240 VAC explosion proof 650rpm 5/8" shaft 2/3 Hp	Y	Y	Y
 P56SX205	110VAC explosion proof 650rpm 5/8" shaft 2/3 Hp	Y	Y	Y



P56AN246

* A variety of motors are used on the T series - please contact us for the exact model

PNEUMATIC DRIVES




Part No.	Description	To suit models		
		C	CH	T*
 4AMNRV22B	4AM 8 vain reversable 1/2" shaft 6.5Nm	Y	Y	Y
 6AMNRV7A	6AM 4 vain reversable 5/8" shaft 12.5Nm	-	-	Y



4AMNRV22B

* A variety of motors are used on the T series - please contact us for the exact model

HYDRAULIC DRIVES

Part No.	Description	To suit models		
		C	CH	T*
 MLHM8C7	8cc Gerota motor 5/8" shaft 7Nm	Y	-	-
 MGR50C3A20	50cc Gerota motor 1" shaft 130Nm	-	Y	Y
 MGS200C4E20	200cc Gerota motor 1-1/4" shaft 460Nm	-	-	Y



MLHM8C7

* A variety of motors are used on the T series - please contact us for the exact model

 = Quick Ship Item, see inside back cover for more information.

STAY IN TOUCH

News and updates



RECOILA ON LINKED IN
[linkedin.com/company/
recoila-hose-and-cord-reels](https://www.linkedin.com/company/recoila-hose-and-cord-reels)



JOIN OUR MAILING LIST
Visit recoila.com.au and click
GET UPDATES in the main menu



LIKE US ON FACEBOOK
[facebook.com/Recoila](https://www.facebook.com/Recoila)



VISIT OUR WEBSITE
recoila.com.au

LEARN MORE



RECOILA AUSTRALIA - HEAD OFFICE
Unit 1/10 Melissa Place
Kings Park NSW 2148
Australia

Phone +61 2 9621 8988
Fax +61 2 9621 7688
sales@recoila.com.au

RECOILA NEW ZEALAND
18 Maui Street, Pukete
Hamilton 3200
New Zealand

Phone +64 7 847 4111
Fax +64 7 847 4112
sales@recoila.co.nz

www.recoila.com.au

www.recoila.co.nz

VISIT
RECOILA
ONLINE

