




# **Recoila**

HOSE AND CORD REELS

## **STEEL SPRING REWIND REELS**



30



# HOSE REELS.

Our total, dedicated business.

We've been making hose reels for decades - over 38 years in fact - and this manufacturing wisdom, coupled with competitive pricing, knowledgeable staff, a wealth of technical information and solid after-sales service positions us firmly at the forefront of our industry.

Our head office and factory is based in Sydney Australia, with a well-stocked distribution centre in Auckland NZ, as well as reputable distribution partners across the globe.

ReCoila has a fully equipped production facility and a team of experts to ensure our reels are designed and manufactured to exacting standards.

With a comprehensive range of hose, cord and cable reels and a dedicated custom design and manufacturing team, ReCoila can supply the right reel for your individual application - with safety and productivity in mind.

## AUSTRALIAN MANUFACTURING. INTERNATIONAL DISTRIBUTION.

ReCoila is a proudly Australian company based in Western Sydney, with distribution reach across Australia, New Zealand and internationally.

We have resellers strategically based in key metro and regional areas to ensure delivery to customers is as swift as possible, and long standing relationships with our freight carriers mean that logistics are coordinated efficiently.

## AUSTRALIAN MADE + QUALITY IMPORTS = COMPREHENSIVE RANGE.

Our range constitutes a wealth of engineered polypropylene and heavy duty steel and stainless steel reels, supplemented with hand-picked reels from some of the world's best manufacturers, to present a truly comprehensive product portfolio. And, our ability to design and manufacture customised reels in-house means that we're sure to have a reel to suit your needs.

VISIT  
RECOILA  
ONLINE





# SPECIALISTS IN CUSTOM REELS

## 38+ years manufacturing wisdom

ReCoila is committed to continued quality and engineering excellence, coupled with real-world practicality and constant improvement based on feedback from customers.

Our goal has always been to design the best reels in the world - and we think we're pretty close to the mark.

With teams of specialists for both steel and polypropylene production, we continue to lead the way in design, innovation, functionality & reliability.

### WE KNOW REELS – YOU KNOW YOUR BUSINESS.

Whilst we've been building reels for over thirty years, we continue to learn and adapt to individual industry challenges in consultation with our customers.

We have worked with Australian and New Zealand fire brigades, Australian Defence forces, major international mining and resources projects, salmon farms, airports, oil rigs, gas exploration companies, plumbers, truck builders, food manufacturers, wineries, auto workshops, universities and electricity providers, and have built reels to transfer everything from clean air to cow dung.

Our collaborative approach has always resulted in a hose reel that is of the highest quality, whilst being simple, practical and effective for the people in the field who are actually operating it.

## THE MAKING OF A CUSTOM HOSE REEL



# STEEL SPRING REWIND REELS

Sturdy, versatile, compact

STEEL: SPRING REWIND



ReCoila imports a select range of steel spring rewind reels from the US and Europe to complement our line of Australian made hose reels.

ReCoila is Australia's only authorised Reelcraft agent and we import a large selection of Reelcraft reels, in addition to high quality steel spring rewind reels from manufacturers in Europe.

With reels to suit low, medium and high pressures for applications including air, water, oil, grease and chemicals, this range provides a solution to many common workplace hose handling situations.



4000  
SERIES

4000 SERIES  
COMPACT SPRING REWIND REELS

APPLICATION

The 4000 Series hose reels are durable and compact and can be used for a wide variety of applications where space is at a premium.

HOSE TYPE

Supplied with or without hose

MEDIA

Low pressure air and water

CONSTRUCTION MATERIAL

Steel

FINISH

Powder Coated

FITTING TYPE


NPT

FEATURES



4400 OLP 106  
SHOWN WITH HOSE

DIMENSIONS



	4000
A	327
B	321
C	203
D	64
E	136
F	10

4000 SERIES LOW PRESSURE AIR & WATER

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Inlet fitting	Outlet fitting	Weight (kg)
4400 OLP 106	6	6	500	3/8" NPT	1/4" NPT	8
4400 OLP 106	6	8	500	3/8" NPT	1/4" NPT	8
4400 OLP 106	6	11	500	3/8" NPT	1/4" NPT	8
4600 OLP 106	10	5	500	3/8" NPT	1/4" NPT	8



= Quick Ship Item, see inside back cover for more information.

## 5000 & 5005 SERIES COMPACT SPRING REWIND REELS

### APPLICATION

The 5000 Series hose reels are suitable for a wide variety of applications where space is limited. The 5005 Series reels perform a similar function whilst handling longer hose lengths.

### HOSE TYPE

Supplied with or without hose

### MEDIA

Air, water, oil, grease  
(refer to table below)

### CONSTRUCTION MATERIAL

Steel

### FINISH

Powder Coated

### FITTING TYPE


NPT

### FEATURES




5600 OMP 106  
SHOWN WITH HOSE

### DIMENSIONS



	5000	5405 5605 A5805 A5806
A	368	445
B	343	419
C	248	248
D	64	64
E	152	152*

\*A5806 dimension E = 178mm



### 5000 SERIES LOW PRESSURE AIR & WATER

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Inlet fitting	Outlet fitting	Weight (kg)
5400 OLP 106	6	15	500	3/8" NPT	1/4" NPT	9
5600 OLP 106	11	11	500	3/8" NPT	1/4" NPT	10
A5800 OLP 106	12	8	500	3/8" NPT	1/2" NPT	10

### 5000 SERIES MEDIUM PRESSURE AIR, WATER & OIL

5400 OMP 106	6	11	3000	3/8" NPT	1/4" NPT	20
5600 OMP 106	10	9	3000	3/8" NPT	3/8" NPT	21

### 5000 SERIES HIGH PRESSURE GREASE

5400 OHP 106	6	9	5000	1/4" NPT	1/4" NPT	12
5600 OHP 106	10	8	5000	1/4" NPT	1/4" NPT	12

### 5005 & 5006 SERIES LOW PRESSURE AIR & WATER

5605 OLP 106	10	5	500	3/8" NPT	1/4" NPT	14
A5805 OLP 106	12	11	500	3/8" NPT	3/8" NPT	15
A5806 OLP 106	12	15	500	3/8" NPT	1/2" NPT	15

### 5005 SERIES MEDIUM PRESSURE AIR, WATER & OIL

A5805 OMP 106	6	11	3000	3/8" NPT	1/2" NPT	14
---------------	---	----	------	----------	----------	----

### 5005 SERIES HIGH PRESSURE GREASE

5405 OHP 106	6	9	5000	1/4" NPT	1/4" NPT	14
--------------	---	---	------	----------	----------	----

= Quick Ship Item, see inside back cover for more information.



## 7000 SERIES COMPACT SPRING REWIND REELS

### APPLICATION

The 7000 Series hose reels are tough, durable and suitable for heavy duty applications.

The base and guide arm are formed from high-grade pressed steel and the engineered structural forms within these parts gives the 7000 Series its strength.





7800 OMP 106  
SHOWN WITH HOSE

<b>HOSE TYPE</b>	Supplied with or without hose
<b>MEDIA</b>	Air, water, oil, grease (refer to table below)
<b>CONSTRUCTION MATERIAL</b>	Steel
<b>FINISH</b>	Powder Coated
<b>FITTING TYPE</b>	NPT

### FEATURES







### DIMENSIONS






	7000
<b>A</b>	521
<b>B</b>	483
<b>C</b>	200
<b>D</b>	98
<b>E</b>	178

### 7000 SERIES LOW PRESSURE AIR & WATER

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Inlet fitting	Outlet fitting	Weight (kg)
 7600 OLP 106	10	15	500	1/2"	1/4"	19
 7607 OLP 106	10	22	500	1/2"	1/4"	19
 7800 OLP 106	12	15	500	1/2"	3/8"	20
 7900 OLP 106	19	8	500	3/4"	3/4"	20

### 7000 SERIES MEDIUM PRESSURE OIL

 7600 OMP 106	10	15	3000	1/2"	1/2"	19
 7600 OMP55 106	10	18	3000	1/2"	1/2"	19
 7800 OMP 106	12	15	3000	1/2"	1/2"	19

### 7000 SERIES HIGH PRESSURE GREASE

7400 OHP 106	6	15	5000	1/2"	1/2"	20
7600 OHP 106	10	15	5000	1/2"	1/2"	21

### 7000 SERIES HIGH PRESSURE WASH

 PW7600 OHP 106	10	15	5000	1/2"	1/2"	21
--	----	----	------	------	------	----

 = Quick Ship Item, see inside back cover for more information.

## HD70000 SERIES HEAVY DUTY SPRING RETRACTABLE HOSE REELS

### APPLICATION

Series HD70000 hose reels are designed to accommodate up to 30m of 3/8" I.D. hose or 23m of 1/2" I.D. hose. The heavy duty base design, all steel construction and a baked-on powder coat finish combine to produce a rugged, corrosion-resistant product. A newly redesigned latching mechanism provides longer service life of the latch components. The one piece guide roller and stainless steel pins offer greater strength. The high quality, die cast aluminum hub and two sealed ballbearings produce a smoother spool rotation and easier operation.

<b>HOSE TYPE</b>	Supplied with or without hose
<b>MEDIA</b>	Air, water, oil, grease (refer to table below)
<b>CONSTRUCTION MATERIAL</b>	Steel
<b>FINISH</b>	Powder Coated
<b>FITTING TYPE</b>	NPT


### FEATURES



= Quick Ship Item, see inside back cover for more information.



HD76100 OLP



### HD70000 SERIES LOW PRESSURE AIR & WATER

Model Without Hose	Hose ID Capacity (mm)	Hose OD Capacity (mm)	Hose Length Capacity (m)	Max PSI	Inlet fitting	Weight (kg)	Size Index #
HD76000 OLP	10	15	15	500	1/2"	19	1
HD76000 OLP	10	15	21	500	1/2"	19	1
HD76005 OLP	10	15	23	500	1/2"	25	2
HD76005 OLP	10	15	30	500	1/2"	25	2
HD78000 OLP	13	19	15	500	1/2"	20	1
HD78005 OLP	13	19	23	500	1/2"	26	2
HD79000 OLP	19	27	8	500	3/4"	21	1

### 70000 SERIES MEDIUM PRESSURE OIL

HD76000 OMP	10	18	15	3000	1/2"	20	1
HD76005 OMP	10	18	23	3000	1/2"	27	2
HD78000 OMP	13	21	15	3250	1/2"	20	1
HD78005 OMP	13	21	20	3250	1/2"	27	2

### 70000 SERIES HIGH PRESSURE GREASE

HD74000 OHP	6	15	15	5000	1/2"	20	1
HD74005 OHP	6	15	23	5000	1/2"	21	2
HD76000 OHP	10	19	15	5000	1/2"	22	1
HD76005 OHP	10	19	23	5000	1/2"	27	2

### 70000 SERIES HIGH PRESSURE WASH

PWD76005 OHP	10	19	23	5000	1/2"	27	2
--------------	----	----	----	------	------	----	---



## 80000 & D80000 SERIES DUAL PEDESTAL SPRING REELS

### APPLICATION

The 80000 Series hose reels are suitable for heavy duty applications. The 80000 has a compact base whilst the D80000 features a wide base for maximum strength and longest hose lengths.

A unique one-piece aluminium casting with dual pedestal and guide arm support provides superior durability.


<b>HOSE TYPE</b>	Supplied with or without hose
<b>MEDIA</b>	Air, water, oil, grease (refer to table below)
<b>CONSTRUCTION MATERIAL</b>	Steel
<b>FINISH</b>	Powder Coated
<b>FITTING TYPE</b>	NPT

### FEATURES



82000 OLP 106  
SHOWN WITH HOSE

### DIMENSIONS



	80000	D80000	PW81000
<b>A</b>	610	610	610
<b>B</b>	645	645	645
<b>C</b>	211	289	211
<b>D</b>	267	362*	267
<b>E</b>	254	267	254
<b>F</b>	152	199	153

\* D83000 (3/4" model)  
dimension D = 362mm.

\* D84000 (1" model)  
dimension D = 387mm.

### 80000 SERIES LOW PRESSURE AIR & WATER

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Inlet fitting	Outlet fitting	Weight (kg)
81000 OLP 106	10	30	500	1/2"	1/2"	35
82000 OLP 106	12	30	500	1/2"	1/2"	37
83000 OLP 106	19	15	500	3/4"	3/4"	34
D83000 OLP 106	19	23	500	3/4"	3/4"	40
D84000 OLP 106	25	15	500	1"	1"	35

### 80000 SERIES MEDIUM PRESSURE OIL

82000 OMP 106	12	22	1500	1/2"	1/2"	35
83000 OMP 106	19	15	1500	3/4"	3/4"	35

### 80000 SERIES HIGH PRESSURE GREASE

81000 OHP 106	10	20	5000	1/2"	3/8"	42
---------------	----	----	------	------	------	----

### 80000 SERIES HIGH PRESSURE WASH

PW81000 OHP 106	10	30	5000	1/2"	3/8"	42
-----------------	----	----	------	------	------	----

= Quick Ship Item, see inside back cover for more information.

## 9000 SERIES LARGE FRAME SPRING REELS

### APPLICATION

The 9000 Series base design offers stability in any application. The range is suitable for high volume air, water, fuel and petroleum applications. The unique footed design makes the 9000 Series ideal for service vehicles, permanent service or plant work areas. With reels to suit low, medium and high pressures, the 9000 Series is an ideal solution for workshop or service truck hose management.

### HOSE TYPE

Supplied with or without hose

### MEDIA

Air, water, oil, grease  
(refer to table below)

### CONSTRUCTION MATERIAL

Steel


### FINISH

Powder Coated

### FITTING TYPE


NPT

### FEATURES







D9300 OLPBW  
SHOWN WITH HOSE

### DIMENSIONS





	9000	D9700 D9800	*FF9000
A	670	707	670
B	667	667	667
C	352	352	352
D	311	311	311
E	616	616	616
F	562	562	562
G	98	98	178
H	305	449	449
J	197	343	343

### 9000 SERIES LOW PRESSURE AIR & WATER

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Inlet fitting	Outlet fitting	Weight (kg)
 D9200 OLP BW 106	12	31	500	1/2"	1/2"	52
 D9300 OLP BW 106	19	15	500	3/4"	3/4"	52
D9305 OLP BW 106	19	31	500	3/4"	3/4"	52
 D9400 OLP BW 106	25	15	500	1"	1"	52
D9700 OLP BW 106	19	30	500	3/4"	3/4"	64
D9800 OLP BW 106	25	30	500	1"	1"	64
FF9500 OLP BW 106*	32	15	600	1 1/4"	1 1/4"	57
 FF9600 OLP BW 106*	38	15	600	1 1/2"	1 1/2"	57

### 9000 SERIES MEDIUM PRESSURE OIL

 D9200 OMP BW 106	12	23	3000	1/2"	1/2"	52
 D9300 OMP BW 106	19	15	3000	3/4"	3/4"	52

### 9000 SERIES HIGH PRESSURE GREASE

D9100 OHP BW 106	10	23	5000	3/8"	1/2"	52
------------------	----	----	------	------	------	----

 = Quick Ship Item, see inside back cover for more information.



## ST SERIES HEAVY DUTY SPRING REELS

### APPLICATION

The ST Series is designed for applications such as lubrication, watering, compressed air, chemicals and more - anywhere a rugged reliable spring rewind reel is required for large diameter hoses.

### HOSE TYPE

Supplied with or without hose

### MEDIA

As per your hose type

### CONSTRUCTION MATERIALS

Carbon Steel (standard)  
304 Stainless Steel  
316 Stainless Steel  
Aluminium

### STANDARD FEATURES

Top rollers  
800psi swivel

### OPTIONAL EXTRAS

Bottom rollers  
1500psi swivel  
3000psi swivel  
4000psi swivel  
10,000psi swivel  
Constant tension  
Swivel base


### FINISH

Powdercoated  
Hot Dip Galvanized



ST38640300  
RIGHT HAND VERSION  
SHOWN WITH HOSE

### DIMENSIONS



Detailed dimensional drawings available on request.  
Quote drawing number ST11019-B.0

Standard construction material is carbon steel.

### FEATURES



#### 32-38mm ID HOSE CAPACITY

#### ST SERIES STEEL SPRING REWIND

Catalogue code	Hose length	Overall width (G)	Frame height (H)	Flange width (B)
ST38640300	15	562	700	685
ST38780300	20	562	815	800

#### 50mm ID HOSE CAPACITY

#### ST SERIES STEEL SPRING REWIND

Catalogue code	Hose length	Overall width (G)	Frame height (H)	Flange width (B)
ST50780300	12	562	815	800

## TH SERIES TWIN HYDRAULIC BARE REELS

### APPLICATION

The TH Series twin hydraulic reels are used for medium pressure hydraulic applications such as operating hydraulic cylinders, tools and equipment. They have high volume swivels and are compact for applications with critical space requirements.


<b>HOSE TYPE</b>	Supplied with or without hose
<b>MEDIA</b>	Hydraulic oil
<b>MAX PSI</b>	3000
<b>CONSTRUCTION MATERIAL</b>	Steel
<b>FINISH</b>	Painted

### FEATURES





TH86000 OMP 106  
SHOWN WITH HOSE

### DIMENSIONS



	TH5000	TH7000	TH80000
<b>A</b>	368	514	645
<b>B</b>	343	483	610
<b>C</b>	248	200	254
<b>D</b>	64	98	152
<b>E</b>	152	177	330

### TH SERIES HYDRAULIC BARE REELS

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Inlet fitting	Weight (kg)
TH5400 OMP 106	Twin 6mm	8	1/4"	10
TH7400 OMP 106	Twin 6mm	15	1/4"	22
 TH7600 OMP 106	Twin 10mm	9	3/8"	22
TH86000 OMP 106	Twin 10mm	15	3/8"	39
 TH88000 OMP 106	Twin 12mm	15	1/2"	39

 = Quick Ship Item, see inside back cover for more information.



S400  
SERIES


S400 SERIES  
STEEL SPRING REWIND REELS

APPLICATION

The S Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the S Series is available in a wide range of sizes and configurations.


HOSE TYPE	Supplied with or without hose
CONSTRUCTION MATERIAL	Steel
FINISH	Painted
FITTING TYPE	BSP
WEIGHT	12kg

FEATURES



S070.1206.400

DIMENSIONS




	S400
A	158
B	120
C	168
D	192
E	95
F	450
G	400
H	435

S400 SERIES						
Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
S070.1201.300	10	15	300	Brass	F 3/8"	M 3/8"
S070.1201.400	12	10	300	Brass	M 1/2"	M 1/2"
S070.1205.300	10	10	5800	Stainless Steel	M 3/8"	M 3/8"
S070.1205.400	12	10	5800	Stainless Steel	M 1/2"	M 1/2"

## S460 SERIES STEEL SPRING REWIND REELS

### APPLICATION

The S Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the S Series is available in a wide range of sizes and configurations.




S070.1301.400

<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION MATERIAL</b>	Steel
<b>FINISH</b>	Painted
<b>FITTING TYPE</b>	BSP
<b>WEIGHT</b>	16kg

### FEATURES



### DIMENSIONS



	S460
A	158
B	120
C	168
D	192
E	95
F	480
G	460
H	500

S460 SERIES						
Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
S070.1301.400	12	18	300	Brass	M 1/2"	M 1/2"
S070.1305.300	10	18	5800	Stainless Steel	M 3/8"	M 3/8"
S070.1305.400	12	15	5800	Stainless Steel	M 1/2"	M 1/2"

S550  
SERIES

S550 SERIES  
STEEL SPRING REWIND REELS

APPLICATION

The S Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the S Series is available in a wide range of sizes and configurations.




S070.1405.400

HOSE TYPE	Supplied with or without hose
CONSTRUCTION MATERIAL	Steel
FINISH	Painted
FITTING TYPE	BSP
WEIGHT	22kg

FEATURES



DIMENSIONS



	S550
A	200
B	150
C	225
D	270
E	120
F	590
G	550
H	600


S550 SERIES						
Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
S070.1401.400	12	25	300	Brass	M 1/2"	M 1/2"
S070.1405.300	10	25	5800	Stainless Steel	M 3/8"	M 3/8"
S070.1405.400	12	20	5800	Stainless Steel	M 1/2"	M 1/2"



## S555 SERIES STEEL SPRING REWIND REELS

### APPLICATION

The S Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the S Series is available in a wide range of sizes and configurations.




S070.1506.400

<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION MATERIAL</b>	Steel
<b>FINISH</b>	Painted
<b>FITTING TYPE</b>	BSP
<b>WEIGHT</b>	26kg

### FEATURES



### DIMENSIONS



	S555
A	250
B	200
C	225
D	270
E	170
F	590
G	550
H	600

### S555 SERIES


Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
S070.1502.400	12	30	300	Brass	M 1/2"	M 1/2"
S070.1502.600	19/25	20/15	300	Brass	F 1"	M 1"
S070.1505.300	10	30	5800	Stainless Steel	M 3/8"	M 3/8"
S070.1505.400	12	30	5800	Stainless Steel	M 1/2"	M 1/2"
S070.1506.500	19	20	2300	Galvanized	M 3/4"	M 3/4"
S070.1506.600	25	15	2300	Galvanized	M 1"	M 1"

S560  
SERIES

S560 SERIES  
STEEL SPRING REWIND REELS

APPLICATION

The S Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the S Series is available in a wide range of sizes and configurations.




S070.1606.600

HOSE TYPE	Supplied with or without hose
CONSTRUCTION MATERIAL	Steel
FINISH	Painted
FITTING TYPE	BSP
WEIGHT	33kg

FEATURES



DIMENSIONS



	S560
A	440
B	390
C	225
D	270
E	360
F	590
G	550
H	600

S560 SERIES						
Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
S070.1602.600	19/25	40/30	300	Brass	F 1"	M 1"
S070.1605.400	10/12	40/40	6000	Stainless Steel	M 1/2"	M 1/2"
S070.1606.500	19	30	2300	Galvanized	M 3/4"	M 3/4"
S070.1606.600	25	30	2300	Galvanized	M 1"	M 1"

## SS400 SERIES STAINLESS STEEL SPRING REELS

### APPLICATION

The SS Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the SS Series is available in a wide range of sizes and configurations.




SS070.2201.300

<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION MATERIAL</b>	304 Stainless steel
<b>FINISH</b>	Stainless
<b>FITTING TYPE</b>	BSP
<b>WEIGHT</b>	12kg

### FEATURES



### DIMENSIONS



	SS400
A	158
B	120
C	168
D	192
E	95
F	450
G	400
H	435

### SS400 SERIES

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
SS070.2201.300	10	15	300	Brass	F 3/8"	M 3/8"
SS070.2201.400	12	10	300	Brass	M 1/2"	M 1/2"
SS070.2205.300	10	10	5800	Stainless Steel	M 3/8"	M 3/8"
SS070.2205.400	12	10	5800	Stainless Steel	M 1/2"	M 1/2"

SS460 SERIES  
STAINLESS STEEL SPRING REELS

APPLICATION

The SS Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the SS Series is available in a wide range of sizes and configurations.




SS070.2301.400

HOSE TYPE	Supplied with or without hose
CONSTRUCTION MATERIAL	304 Stainless steel
FINISH	Stainless
FITTING TYPE	BSP
WEIGHT	16kg

FEATURES



DIMENSIONS



	SS460
A	158
B	120
C	168
D	192
E	95
F	480
G	460
H	500

SS460 SERIES						
Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
SS070.2301.400	10/12	20/18	300	Brass	M 1/2"	M 1/2"
SS070.2305.300	10	18	5800	Stainless Steel	M 3/8"	M 3/8"
SS070.2305.400	12	15	5800	Stainless Steel	M 1/2"	M 1/2"

= Quick Ship Item, see inside back cover for more information.



## SS550 SERIES STAINLESS STEEL SPRING REELS

### APPLICATION

The SS Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the SS Series is available in a wide range of sizes and configurations.




SS070.2405.400

<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION MATERIAL</b>	304 Stainless steel
<b>FINISH</b>	Stainless
<b>FITTING TYPE</b>	BSP
<b>WEIGHT</b>	22kg

### FEATURES



### DIMENSIONS



	SS550
A	200
B	150
C	225
D	270
E	120
F	590
G	550
H	600

### SS550 SERIES

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
SS070.2401.400	12	25	300	Brass	M 1/2"	M 1/2"
SS070.2405.300	10	25	5800	Stainless Steel	M 3/8"	M 3/8"
SS070.2405.400	12	20	5800	Stainless Steel	M 1/2"	M 1/2"
SS070.2409.500	19	15	300	Stainless Steel	F 3/4"	M 3/4"



 = Quick Ship Item, see inside back cover for more information.

SS555 SERIES  
STAINLESS STEEL SPRING REELS

APPLICATION

The SS Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the SS Series is available in a wide range of sizes and configurations.




SS070.2505.400

HOSE TYPE	Supplied with or without hose
CONSTRUCTION MATERIAL	304 Stainless steel
FINISH	Stainless
FITTING TYPE	BSP
WEIGHT	26kg


FEATURES



DIMENSIONS



	SS555
A	250
B	200
C	225
D	270
E	170
F	590
G	550
H	600

SS555 SERIES						
Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
SS070.2502.400	12	30	300	Brass	M 1/2"	M 1/2"
SS070.2502.600	19/25	20/15	300	Brass	F 1"	M 1"
SS070.2505.300	10	30	5800	Stainless Steel	M 3/8"	M 3/8"
 SS070.2505.400	12	30	5800	Stainless Steel	M 1/2"	M 1/2"
SS070.2509.600	19/25	20/15	300	Stainless Steel	F 1"	M 1"
SS070.2505.600	19/25	20/15	1470	Stainless Steel	F 1"	M 1"

 = Quick Ship Item, see inside back cover for more information.

## SS560 SERIES STAINLESS STEEL SPRING REELS

### APPLICATION

The SS Series is a range of high quality imported steel and stainless steel hose reels, with models suited to most common workshop applications including air, water, oil, grease and more. Durable and compact, the SS Series is available in a wide range of sizes and configurations.




SS070.2608.600

<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION MATERIAL</b>	304 Stainless steel
<b>FINISH</b>	Stainless
<b>FITTING TYPE</b>	BSP
<b>WEIGHT</b>	33kg

### FEATURES



### DIMENSIONS



	SS560
A	440
B	390
C	225
D	270
E	360
F	590
G	550
H	600

### SS560 SERIES

	Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
	SS070.2602.600	19/25	40/30	300	Brass	F 1"	M 1"
	SS070.2605.400	12	40	5800	Stainless Steel	M 1/2"	M 1/2"
	SS070.2609.600	19/25	40/30	300	Stainless Steel	F 1"	M 1"
	SS070.2605.600	19/25	40/30	1470	Stainless Steel	F 1"	M 1"

= Quick Ship Item, see inside back cover for more information.

## CF500 SERIES ENCLOSED SPRING REWIND REELS

### APPLICATION

The CF500 Series is a range of high quality imported enclosed hose reels, with models suited to most common workshop applications.

**HOSE TYPE** Supplied with or without hose

**CONSTRUCTION** Steel


**FINISH** Painted

**FITTING TYPE** BSP

### FEATURES



### DIMENSIONS



074.4504.318

	CF500
A	150
B	120
C	168
D	231
E	117
F	495
G	495
H	515

### CF500 SERIES

#### AIR & WATER 20 bar

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Supplied with Hose	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
074.4502.300	10	18	N	290	Brass	F 3/8"	M 1/4"
074.4502.400	12	18	N	290	Brass	M 1/2"	M 1/2"
074.4502.318	10	18	Y	290	Brass	F 3/8"	M 3/8"
074.4502.418	12	18	Y	290	Brass	M 1/2"	M 1/2"

#### HOT WATER (to 150°C) 200 bar

074.4505.300	10	18	N	2900	Stainless Steel	M 3/8"	M 3/8"
074.4504.318	10	18	Y	2900	Stainless Steel	M 3/8"	F 3/8"

#### HOT WATER (to 150°C) 400 bar

074.4505.300	10	18	N	5800	Stainless Steel	M 3/8"	M 3/8"
074.4509.415	10	18	Y	5800	Stainless Steel	M 3/8"	F 3/8"

#### OIL (to 150°C) 160 bar

074.4506.400	12	18	N	2300	Galvanized	M 1/2"	M 1/2"
074.4506.418	12	18	Y	2300	Galvanized	M 1/2"	M 1/2"

#### GREASE 600 bar

074.4507.200	6	18	N	8700	Galvanized	M 1/4"	M 1/4"
074.4507.300	10	15	N	8700	Galvanized	M 3/8"	M 3/8"
074.4507.118	6	18	Y	8700	Galvanized	M 1/4"	M 1/4"
074.4507.315	10	15	Y	8700	Galvanized	M 3/8"	M 3/8"

#### ANTIFREEZE & WINDSCREEN 20 bar

074.4509.400	12	15	N	290	Stainless Steel	M 1/2"	M 1/2"
074.4509.415	12	15	Y	290	Stainless Steel	M 1/2"	M 1/2"



## CS500 SERIES SWIVELLING ENCLOSED SPRING REWIND REELS

### APPLICATION

The CS500 Series is a range of high quality imported enclosed hose reels for common workshop applications. These models have a swivelling bracket.

**HOSE TYPE** Supplied with or without hose

**CONSTRUCTION** Steel


**FINISH** Painted

**FITTING TYPE** BSP

### FEATURES



### DIMENSIONS



### CS500 SERIES

#### AIR & WATER 20 bar

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Supplied with hose	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
075.4502.300	10	18	N	290	Brass	F 3/8"	F 3/8"
075.4502.400	12	18	N	290	Brass	M 1/2"	M 1/2"
075.4502.318	10	18	Y	290	Brass	F 3/8"	M 3/8"
075.4502.418	12	18	Y	290	Brass	M 1/2"	M 1/2"

#### HOT WATER (to 150°C) 200 bar

075.4505.300	10	18	N	2900	Stainless Steel	M 3/8"	M 3/8"
075.4504.318	10	18	Y	2900	Stainless Steel	M 3/8"	F 3/8"

#### HOT WATER (to 150°C) 400 bar

075.4505.300	10	18	N	5800	Stainless Steel	M 3/8"	M 3/8"
075.4505.318	10	18	Y	5800	Stainless Steel	M 3/8"	F 3/8"

#### OIL (to 150°C) 160 bar

075.4506.400	12	18	N	2300	Galvanized	M 1/2"	M 1/2"
075.4506.418	12	18	Y	2300	Galvanized	M 1/2"	M 1/2"

#### GREASE 600 bar

075.4507.200	6	18	N	8700	Galvanized	M 1/4"	M 1/4"
075.4507.300	10	15	N	8700	Galvanized	M 3/8"	M 3/8"
075.4507.118	6	18	Y	8700	Galvanized	M 1/4"	M 1/4"
075.4507.315	10	15	Y	8700	Galvanized	M 3/8"	M 3/8"

#### ANTIFREEZE & WINDSCREEN 20 bar

075.4509.400	12	15	N	290	Stainless Steel	M 1/2"	M 1/2"
075.4509.415	12	15	Y	290	Stainless Steel	M 1/2"	M 1/2"

## CFX500 SERIES STAINLESS ENCLOSED SPRING REWIND REELS

### APPLICATION

The CFX500 Series is a range of high quality imported enclosed hose reels, with models suited to most common workshop applications.


<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION</b>	Stainless Steel 304
<b>FINISH</b>	Stainless
<b>FITTING TYPE</b>	BSP

### FEATURES



074.5504.318

### DIMENSIONS



	CFX500
A	150
B	120
C	168
D	231
E	117
F	495
G	495
H	515

### CFX500 SERIES

#### AIR & WATER 20 bar

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Supplied with Hose	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
074.5502.300	10	18	N	290	Brass	F 3/8"	M 3/8"
074.5502.400	12	18	N	290	Brass	M 1/2"	M 1/2"
074.5502.318	10	18	Y	290	Brass	F 3/8"	M 3/8"
074.5502.418	12	18	Y	290	Brass	M 1/2"	M 1/2"

#### HOT WATER (to 150°C) 200 bar

074.5505.300	10	18	N	2900	Stainless Steel	M 3/8"	M 3/8"
074.5504.318	10	18	Y	2900	Stainless Steel	M 3/8"	F 3/8"

#### HOT WATER (to 150°C) 400 bar

074.5505.300	10	18	N	5800	Stainless Steel	M 3/8"	M 3/8"
074.5505.318	10	18	Y	5800	Stainless Steel	M 3/8"	F 3/8"

## CSX500 STAINLESS SWIVELLING ENCLOSED SPRING REWIND REELS

### APPLICATION


The CFX500 Series is a range of high quality imported enclosed hose reels, with models suited to most common workshop applications.

<b>HOSE TYPE</b>	Supplied with or without hose
<b>CONSTRUCTION</b>	Stainless Steel 304
<b>FINISH</b>	Stainless
<b>FITTING TYPE</b>	BSP

### FEATURES



### DIMENSIONS



	CSX500
A	150
B	120
C	168
D	196
E	117
F	495
G	495
H	575

### CSX500 SERIES

#### AIR & WATER 20 bar

Model	Hose ID Capacity (mm)	Hose Length Capacity (m)	Supplied with Hose	Max PSI	Swivel Material	Inlet fitting	Outlet fitting
075.5502.300	10	18	N	290	Brass	F 3/8"	M 3/8"
075.5502.400	12	18	N	290	Brass	M 1/2"	M 1/2"
075.5502.318	10	18	Y	290	Brass	F 3/8"	M 3/8"
075.5502.418	12	18	Y	290	Brass	M 1/2"	M 1/2"

#### HOT WATER (to 150°C) 200 bar

075.5505.300	10	18	N	2900	Stainless Steel	M 3/8"	M 3/8"
075.5504.318	10	18	Y	2900	Stainless Steel	M 3/8"	F 3/8"

#### HOT WATER (to 150°C) 400 bar

075.5505.300	10	18	N	5800	Stainless Steel	M 3/8"	M 3/8"
075.5505.318	10	18	Y	5800	Stainless Steel	M 3/8"	F 3/8"

# STAY IN TOUCH

News and updates



**RECOILA ON LINKED IN**  
[linkedin.com/company/  
recoila-hose-and-cord-reels](https://linkedin.com/company/recoila-hose-and-cord-reels)



**JOIN OUR MAILING LIST**  
Visit [recoila.com.au](https://recoila.com.au) and click  
**GET UPDATES** in the main menu



**LIKE US ON FACEBOOK**  
[facebook.com/Recoila](https://facebook.com/Recoila)



**VISIT OUR WEBSITE**  
[recoila.com.au](https://recoila.com.au)





RECOILA AUSTRALIA - HEAD OFFICE  
Unit 1/10 Melissa Place  
Kings Park NSW 2148  
Australia

Phone +61 2 9621 8988  
Fax +61 2 9621 7688  
sales@recoila.com.au

RECOILA NEW ZEALAND  
18 Maui Street, Pukete  
Hamilton 3200  
New Zealand

Phone +64 7 847 4111  
Fax +64 7 847 4112  
sales@recoila.co.nz

[www.recoila.com.au](http://www.recoila.com.au)

[www.recoila.co.nz](http://www.recoila.co.nz)

VISIT  
RECOILA  
ONLINE

